

































MFD BY TABC INC.
GVWR (LBS) : 5100
GAWR (LBS) : FRT.

RR. 2650
15 X 6JJ RIMS, AT 26PSI

WITH P225/75R15
2800
15 X 6JJ RIMS, AT 29PSI

DATE 05/95
TIRES.
COLD
TIRES.
COLD.

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL
MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE
DATE OF MANUFACTURE SHOWN ABOVE
4TAUN61C9SZ035791



TRUCK RZN161L-TRMDKAB

MFD. BY TABC INC.
GVWR (LBS) : 5100
GAWR (LBS) : FRT.

RR.

2650

15 X

2800

15 X

6JJ RIMS. AT 26PSI

WITH P225/75R15

6JJ RIMS. AT 29PSI

WITH P225/75R15

WITH P225/75R15

6JJ RIMS. AT 26PSI

WITH P225/75R15

6JJ RIMS. AT 29PSI

TIRES.

COLD.

TIRES.

COLD.

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL
MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE
DATE OF MANUFACTURE SHOWN ABOVE.

4TAUN61C9SZ035791

TRUCK

RZN161L-TRMDKAB



C/TR 754/FA11. A/TM B02A/W59

DATE 05/95



